# OUTDOOR KITCHENS & BUILT-IN GRILLS

## NAPOLEON

PREMIUM BBQs

## NAPOLEON PREMIUM BBQs
## Outdoor kitchens & Built-in grills 2022

Dear friends,

We are very pleased to introduce a brand new series to the Napoleon outdoor kitchen range this year: The 700 series.

Three grillheads of different sizes now offer a degree of versatility that has never been available before for planning your outdoor kitchen.

Of course, in the usual high quality of Napoleon. For example, the shot-blasted WAVE™ cooking grids made of high-quality stainless steel offer more taste and branding.

And our range of other components has also grown: Newly developed side burners are now available in 3 different sizes and in both styles; standard range burner or the Sizzle zone TM ceramic infrared burner.

Our refrigerators are also worth a look. Energy-efficient, equipped with bright LED lighting and with either right-hand or left-hand opening doors, they also offer maximum flexibility.

In other words: enjoy browsing through the new outdoor catalogue, see it as a source of inspiration for your future projects.

Sincerely yours,
Your Napoleon Team

BIG44RBPSS

BIG38RBPSS

BIB18RT

BIB18IR

BIB10RT

BIPRO825RBIPSS

BIPRO665RBPSS

BILEX605RBIPSS

BILEX485RBPSS

BIPRO500RBPSS

# CONTENTS

BIG32RBPSS

BIB10IR

## WHAT MAKES OUTDOOR KITCHENS SO GREAT?

The barbecue exudes the wonderful aroma of grilled meat, food is already being prepared on the countertop and guests are hungrily gathering outside... a Napoleon outdoor kitchen quickly becomes the most popular place in the garden or on the terrace.

Once you have decided on the equipment, size and shape of your outdoor kitchen, you will enjoy it for a long time. The extensive selection of grill attachments offers the right solution for every requirement and the modular system of Napoleon outdoor kitchen components offers maximum flexibility.

Turn your terrace or garden into an enjoyable eye-catcher - there are no limits to your imagination!

BIPRO500

IM-2DC    IM-UGC500    IM-UTC

BIPRO665

IM-WDC

IM-3DC    IM-UGC665    IM-UTC

BIPRO825

IM-UDC    IM-WDC    IM-UGC825    IM-UTC    IM-3DC

## INFINITE POSSIBILITIES

The combinations you can make for your Napoleon outdoor kitchen are virtually limitless. They allow you to create your own personal outdoor dream!

Choosing your favourite barbecue grill head is just as much a part of your journey to a Napoleon outdoor kitchen as deciding on the most suitable and sensible modules and components - whether you are looking at side burners, drawers or refrigerators.

At the same time, the options are always coherent, visually attractive and of the highest quality. This makes putting together a Napoleon outdoor kitchen a project that is pure joy.

*Countertop not included

## BUILT-IN GRILLS
## OF THE 700 SERIES

True built-in design for seamless installation. The collection includes 3 sizes of stainless steel grill heads and a range of infrared SIZZLE ZONE™ and built-in burners in various sizes, a two-stage high-performance power burner and matching stainless steel surrounds for versatile design solutions.

The Napoleon 700 series range includes 32", 38" and 44" grills with infrared rear burners and integrated storage for the rotisserie kit.
The 44" grill head has a double rear infrared burner so you can use both rear burners independently. This allows you to use a rotisserie on one side while using the main grill surface and warming rack on the other. A stainless steel rotisserie kit is included and has foldable meat forks for compact storage.

All grills and components have interconnected lighting so the NIGHT LIGHT control knobs with SAFETY GLOW™ can be turned on and off separately.

**EVERYTHING ON BOARD WITH THE NEW 700 SERIES**

# BUILT-IN GRILLS & BURNERS

### 35 kW | 8 Burners | Total cooking area: 105,1 cm x 45,4 cm + Dual warming rack

- Integrated **ACCU-PROBE™** thermometer with carbon fibre look
- Shot blasted stainless steel **Warming Rack**
- 9,5 mm shot blasted stainless steel **WAVE™** grids
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **Dual Stainless Steel infrared rear burner** for juicy rotisserie dishes
- **Integrated storage** for rotisserie kit
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

**NEW** BIG44RBPSS

### 25,5 kW | 6 Burners | Total cooking area: 89,1 cm x 45,4 cm + Warming rack

- Integrated **ACCU-PROBE™** thermometer with carbon fibre look
- Shot blasted stainless steel **Warming Rack**
- 9,5 mm shot blasted stainless steel **WAVE™** grids
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **Stainless Steel infrared rear burner** for juicy rotisserie dishes
- **Integrated storage** for rotisserie kit
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

**NEW** BIG38RBPSS

### 21,5 kW | 5 Burners | Total cooking area: 74,6 cm x 45,4 cm + Warming rack

- Integrated **ACCU-PROBE™** thermometer with carbon fibre look
- Shot blasted stainless steel **Warming Rack**
- 9,5 mm shot blasted stainless steel **WAVE™** grids
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **Stainless Steel infrared rear burner** for juicy rotisserie dishes
- **Integrated storage** for rotisserie kit
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

**NEW** BIG32RBPSS

PRESIDENT'S LIMITED **LIFETIME** WARRANTY

**ACCU-PROBE™** thermometer
with carbon fibre look



9,5 mm shot blasted
stainless steel **WAVE™** grids



**SAFETY GLOW™** control knobs



Integrated storage for rotisserie kit

# THE ULTIMATE IN GRILLING


Infrared rear burner and rotisserie kit


Proximity lighting


**SAFETY GLOW™** colour changing control knobs


9,5 mm **WAVE™** stainless steel grids and sear plates

**BIPRO825RBIPSS-3**

**33,3 kW | 9 Burners | Total cooking area: 72 cm x 46 cm + 47 cm x 46 cm + Warming rack**

- Integrated **ACCU-PROBE™** thermometer
- 9,5mm stainless steel **WAVE™** grids
- **Dual SIZZLE ZONE™ area** with stainless steel tube burner for better heat distribution
- Multi-colour knob lighting with **SAFETY GLOW™** and integrated interior lighting
- **Stainless steel infrared rear burner** for juicy rotisserie dishes
- **Smoker burner** with integrated, easy pull-out and refillable smoking tray
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

**BIPRO665RBPSS-3**

**27 kW | 7 Burners | Total cooking area: 94 cm x 46 cm + Warming rack**

- Integrated **ACCU-PROBE™** thermometer
- 9,5mm stainless steel **WAVE™** grids
- **Infrared Upgrade-Kit** (#S83013) optional available
- Multi-colour knob lighting with **SAFETY GLOW™** and integrated interior lighting
- **Stainless steel infrared rear burner** for juicy rotisserie dishes
- **Smoker burner** with integrated, easy pull-out and refillable smoking tray
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

**BIPRO500RBPSS-3**

**21,7 kW | 5 Burners | Total cooking area: 71 cm x 46 cm + Warming rack**

- Integrated **ACCU-PROBE™** thermometer
- 9,5mm stainless steel **WAVE™** grids
- **Infrared Upgrade-Kit** (#S83014) optional available
- **LIFT-EASE™** roll top lid with gleaming chrome accents
- Multi-colour knob lighting with **SAFETY GLOW™** and integrated interior lighting
- **Stainless steel infrared rear burner** for juicy rotisserie dishes
- Electronic ignition + **JETFIRE™** ignition system
- **Rotisserie kit** with motor included

PRESIDENT'S LIMITED **LIFETIME** WARRANTY

**BILEX605RBI**

24,5 kW | 5 Burners | Total cooking area: 85 cm x 46 cm + Warming rack

- Integrated **ACCU-PROBE™** thermometer
- Stainless steel **warming rack**
- Stainless steel **WAVE™** grids
- **Internal SIZZLE ZONE™** for the perfect steak
- **Grill lid with internal liner** entirely made from stainless steel
- **i-GLOW™** control knobs
- **Ceramic infrared rear burner** for juicy rotisserie dishes
- **JETFIRE™** ignition system

**BILEX485RB**

18,4 kW | 5 Burners | Total cooking area: 68 cm x 46 cm + Warming rack

- Integrated **ACCU-PROBE™** thermometer
- Stainless steel **warming rack**
- Stainless Steel **WAVE™** grids
- **Grill lid with internal liner** entirely made from stainless steel
- **i-GLOW™** control knobs
- **Ceramic infrared rear burner** for juicy rotisserie dishes
- **JETFIRE™** ignition system

**Ceramic infrared rear burner**
for juicy rotisserie dishes


Stainless steel **WAVE™** grids


**i-GLOW™** control knobs


**ACCU-PROBE™** thermometer
with carbon fibre look

# FIRST-CLASS FEATURES
# AFFORDABLE PRICES

**BIB10IRPSS**

3 kW | 1 Burner | Total cooking area: 22,9 cm x 26,7 cm

- Single 3-tile infrared burner
- 7,5 mm shot blasted stainless steel **WAVE™** grid
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for drop-in use

**BIB18IRPSS**

10 kW | 2 Burners | Total cooking area: 44,5 cm x 45,7 cm

- Double 3-tile infrared burner
- 9,5 mm shot blasted stainless steel **WAVE™** grid
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for built-in use

**BIB18PBPSS**

12 kW | 2 Burners | Total cooking area: 44,5 cm x 45,7 cm

- Dual stage **power burner**
- 9,5 mm shot blasted stainless steel grid
- Perfect fit for Napoleon's 12″ Wok (#70028)
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for built-in use

Perfectly matches the 700-series grill heads


**JETFIRE™** ignition system


**SAFETY GLOW™** control knobs


Shot blasted stainless steel **WAVE™** grids


**BIB10RTPSS**

3 kW | 1 Burner | Total cooking area: 22,9 cm x 26,7 cm
- Single range burner
- 7,5 mm shot blasted stainless steel **WAVE™** grid
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for drop-in use


**BIB12RTPSS**

10 kW | 2 Burners | Total cooking area: 29,8 cm x 45,7 cm
- Double range burner
- 7,5 mm shot blasted stainless steel **WAVE™** grid
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for built-in use


**BIB18RTPSS**

10 kW | 2 Burners | Total cooking area: 44,5 cm x 45,7 cm
- Double range burner
- 7,5 mm shot blasted stainless steel **WAVE™** grid
- Full **304 stainless steel** construction
- **SAFETY GLOW™** control knobs
- **JETFIRE™** ignition system
- Designed for built-in use

## Built-in grills

Built in grill head dimensions with lid closed and without rotisserie kit (w x d x h)

Built in opening dimensions (non combustible) (w x d x h)

### BIPRO825RBI
140 cm x 65 cm x 65 cm

| | |
|---|---|
| **Width:** | 133,0 cm |
| **Depth:** | 52,4 cm |
| **Height:** | 22,5 cm |
| **Wall distance:** | 12,7 cm |

### BIPRO665RB
104 cm x 65 cm x 65 cm

| | |
|---|---|
| **Width:** | 96,5 cm |
| **Depth:** | 52,4 cm |
| **Height:** | 22,5 cm |
| **Wall distance:** | 12,7 cm |

### BIPRO500RB
82 cm x 65 cm x 61 cm

| | |
|---|---|
| **Width:** | 78,1 cm |
| **Depth:** | 52,4 cm |
| **Height:** | 22,5 cm |
| **Wall distance:** | 12,7 cm |

### BILEX605RBI
91 cm x 69 cm x 57 cm

| | |
|---|---|
| **Breite:** | 93,0 cm |
| **Depth:** | 54,5 cm |
| **Height:** | 22,5 cm |
| **Wall distance:** | 15,2 cm |

### BILEX485RB
74 cm x 69 cm x 57 cm

| | |
|---|---|
| **Width:** | 75,5 cm |
| **Depth:** | 54,5 cm |
| **Height:** | 22,5 cm |
| **Wall distance:** | 15,2 cm |

## NEW Built-in grills

Built in grill head dimensions with lid closed and without rotisserie kit (w x d x h)

Built in opening dimensions (non combustible) (w x d h)

### BIG44RBPSS
116 cm x 70 cm x 61 cm

| | |
|---|---|
| **Width:** | 109,3 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |
| **Wall distance:** | 12,7 cm |

### BIG38RBPSS
100 cm x 70 cm x 61 cm

| | |
|---|---|
| **Width:** | 94,0 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |
| **Wall distance:** | 12,7 cm |

### BIG32RBPSS
85 cm x 70 cm x 61 cm

| | |
|---|---|
| **Width:** | 78,8 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |
| **Wall distance:** | 12,7 cm |

**NEW** **Built-in burners for 700 Series**

Burner dimensions (w x d x h)

Burner opening dimensions (non combustible) (w x d x h)

**BIB18PBPSS**

55 cm x 63 cm x 30 cm

| | |
|---|---|
| **Width:** | 48,3 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |

**BIB18IRPSS**

55 cm x 63 cm x 30 cm

| | |
|---|---|
| **Width:** | 48,3 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |

**BIB18RTPSS**

55 cm x 63 cm x 30 cm

| | |
|---|---|
| **Width:** | 48,3 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |

**BIB12RTPSS**

55 cm x 63 cm x 30 cm

| | |
|---|---|
| **Width:** | 33,1 cm |
| **Depth:** | 49,8 cm |
| **Height:** | 26,0 cm |

**NEW** **Drop-in burners for 700 Series**

Burner dimensions (w x d x h)

Burner opening dimensions (non combustible) (w x d x h)

**BIB10IRPSS**

34 cm x 56 cm x 16 cm

| | |
|---|---|
| **Width:** | 28,0 cm |
| **Depth:** | 50,2 cm |
| **Height:** | 15,2 cm |

**BIB10RTPSS**

34 cm x 56 cm x 16 cm

| | |
|---|---|
| **Width:** | 28,0 cm |
| **Depth:** | 50,2 cm |
| **Height:** | 15,2 cm |

Built-in grills and burners can be combined with both built-in components and Oasis™ Modules.

# REFRIGERATORS

**NFR210ODGL**

1,65 kW/h | Stainless Steel | Dimensions: 90 cm x 50 cm x 86,5 cm | 98 kg
- Gross volume of 210 Litres
- 1,65 kW/h energy consumption based on 24h
- 304 stainless steel interior and exterior
- IP24 waterproof design
- One piece tempered safety glass doors (2 layers)
- EC technology EBM fans with a 65000 hour lifespan
- Both doors open from the middle outwards
- Bright interior white LED lighting along top
- Fits perfectly next to OASIS™ cabinets

**NFR135OLGL**

1,25 kW/h | Stainless Steel | Dimensions: 60 cm x 50 cm x 86,5 cm | 74 kg
- Gross volume of 135 Litres
- 1,25 kW/h energy consumption based on 24h
- 304 stainless steel interior and exterior
- IP24 waterproof design
- One piece tempered safety glass door (2 layers)
- EC technology EBM fans with a 65000 hour lifespan
- Door opening to the left
- Bright interior white LED lighting along top
- Fits perfectly next to OASIS™ cabinets

**NFR135ORGL**

1,25 kW/h | Stainless Steel | Dimensions: 60 cm x 50 cm x 86,5 cm | 74 kg
- Gross volume of 135 Litres
- 1,25 kW/h energy consumption based on 24h
- 304 stainless steel interior and exterior
- IP24 waterproof design
- One piece tempered safety glass door (2 layers)
- EC technology EBM fans with a 65000 hour lifespan
- Door opening to the right
- Bright interior white LED lighting along top
- Fits perfectly next to OASIS™ cabinets

2 YEAR LIMITED WARRANTY

**Refrigerators**

Dimensions (w x d x h)

| 60,0 cm x 50,0* cm x 86,5 cm | 60,0 cm x 50,0* cm x 86,5 cm | 90,0 cm x 50,0* cm x 86,5 cm | NFR-SGL-WINESHLF NFR-DBL-WINESHLF |
|---|---|---|---|

**NFR135OLGL**

Outdoor beverage cooler
Door opening to the left
135 litres of capacity

**NFR135ORGL**

Outdoor beverage cooler
Door opening to the right
135 litres of capacity

**NFR210ODGL**

Outdoor beverage cooler
Double doors opening outwards
210 litres of capacity

**NFR-SGL-WINESHLF**
**NFR-DBL-WINESHLF**

Chrome plated single and
double fridge set
No weight limit for single
bottle stacking

**Modules**

Dimensions (w x (d) x h)

| 88,9 cm x 8,9 cm x 63,5 cm | 88,9 cm x 61,0 cm x 68,6 cm | 94,0 cm x 8,9 cm x 89,0 cm | 99,0 cm x 61,0 cm x 90,0 cm |
|---|---|---|---|

**IM-FMP-CN**

Mid run enclosure kit
for single fridge

**IM-FEP-CN**

End of run enclosure kit
for single fridge

**NEW: IM-FMPD-CN**

Mid run enclosure kit
for double fridge

**NEW: IM-FEPD-CN**

End of run enclosure kit
for double fridge

**Modules**

Dimensions (w x (d) x h)

| 46,7 cm x 88,9 cm | 10,2 cm x 3,8 cm x 88,9 cm | 61,0 cm x 5,1 cm x 78,7 cm |
|---|---|---|

**IM-45T**

45° connection

**IM-WSF**

Wall Spacer

**IM-CEP**

End panel

*additional 4,5 cm for door handle

# OASIS™ CABINETS

**Grill Cabinets**

Dimensions (w x d x h)

| 61,0 cm x 61,0 cm x 88,9 cm | 88,3 cm x 61,0 cm x 88,9 cm | 103,5 cm x 61,0 cm x 88,9 cm | 118,8 cm x 61,0 cm x 88,9 cm |
|---|---|---|---|
| **IM-UGC18-CN** | **IM-UGC32-CN** | **IM-UGC38-CN** | **IM-UGC44-CN** |
| For 18"Built-in burners 2 drawers on roller glides | For BIG32RBPSS 2 drawers on roller glides | For BIG38RBPSS 2 drawers on roller glides | For BIG44RBPSS 2 drawers on roller glides |

**Grill Cabinets**

Dimensions (w x d x h)

| 88,3 cm x 61,0 cm x 88,9 cm | 103,0 cm x 61,0 cm x 88,9 cm | 140,0 cm x 61,0 cm x 88,9 cm |
|---|---|---|
| **IM-UGC500-CN** | **IM-UGC665-CN** | **IM-UGC825-CN** |
| For BIPRO500RB & BILEX485 2 drawers on roller glides | For BIPRO665RB & BILEX605 2 drawers on roller glides | For BIPRO825RBI 4 drawers on roller glides |

Built-in grills and burners can be combined with both built-in components and Oasis™ Modules.

**Modules**

Dimensions (w x d x h)

| 61,0 cm x 61,0 cm x 88,9 cm | 61,0 cm x 61,0 cm x 88,9 cm | 61 cm x 61 cm x 89 cm | 61,0 cm x 61,0 cm x 88,9 cm | 61,0 cm x 61,0 cm x 88,9 cm |
|---|---|---|---|---|
| **IM-3DC-CN** | **IM-2DC-CN** | **IM-UDC-CN** | **IM-WDC-CN** | **IM-UTC-CE-CN** |
| 3 drawers on roller glides | 2 drawers on roller glides False top drawer to allow sink, side burner or ice cube tray | Universal door cabinet | Integrated kitchen roll holder with pull-out waste bin | Propane tank cabinet |

## THE COMPONENTS

There are no limits to creativity when designing a Napoleon outdoor kitchen. The following features particularly distinguish the modules. Create your own outdoor kitchen area entirely according to your wishes. With the numerous door and drawer cabinets as well as refrigerators and other practical components, you have a wide range of options when planning your outdoor kitchen.

**Components**

Dimensions (w x d x h)

| 100,0 cm x 59,7 cm x 70,5 cm | 54,6 cm x 59,7 cm x 70,5 cm |
|---|---|
| **BI-3624-1D3DR** | **BI-1824-3DR** |
| 1 soft close door 3 drawers | 3 drawers |

**Built-in Cabinets**

Dimensions (w x d x h)

| 54,6 cm x 9,2 cm x 70,5 cm | 84,8 cm x 9,2 cm x 70,5 cm | 100 cm x 9,2 cm x 70,5 cm |
|---|---|---|
| **BI-1824-1D** | **BI-3024-2D** | **BI-3624-2D** |
| 1 soft close door | 2 soft close doors | 2 soft close doors |

Built-in grills and burners can be combined with both built-in components and Oasis™ Modules.

| Specifications built-in grills | BIPRO825RBI | BIPRO665RB (available in natural gas) | BIPRO500RB (available in natural gas) | BILEX605RBI | BILEX485RB | BIG44RBPSS | BIG38RBPSS | BIG32RBPSS |
|---|---|---|---|---|---|---|---|---|
| LIFT-EASE™ roll top lid | • | • | • | | | | | |
| interior light | • | • | • | | | | | |
| ACCU PROBE™ Thermometer | • | • | • | • | • | • | • | • |
| Total cooking area('s) in cm | 72 x 46 + 47 x 46 | 94 x 46 | 71 x 46 | 85 x 46 | 68 x 46 | 105,1 x 45,4 | 89,1 x 45,4 | 74,6 x 45,4 |
| Electronisc ignition for rear burner | • | • | • | | | • | • | • |
| JETFIRE™ ignition | • | • | • | • | • | • | • | • |
| Infrared SIZZLE ZONE™ main burner | 2 | Opt. | Opt. | 1 | | | | |
| Stainless Steel burner | 6 | 5 | 4 | 3 | 4 | 6 | 5 | 4 |
| Infrared rear burner | • | • | • | • | • | • (double) | • | • |
| Integrated smoker tray | • | • | | | | | | |
| WAVE™ Stainless Steel grids 7 mm | | | | • | • | | | |
| WAVE™ Stainless Steel grids 9,5 mm | • | • | • | | | | | |
| WAVE™ Shot Blasted Stainless Steel grids 7,5 mm | | | | | | | | |
| WAVE™ Shot Blasted Stainless Steel grids 9,5 mm | | | | | | • | • | • |
| i-GLOW™ control knobs | | | | • | • | | | |
| SAFETY GLOW™ control knobs | • | • | • | | | • | • | • |
| Weight in kg | 114 kg | 89 kg | 65 kg | 58 kg | 43 kg | 105,7 kg | 91,6 kg | 81,0 kg |
| Removable drip tray | • | • | • | • | • | • | • | • |
| Warming rack | • | • | • | • | • | • (double) | • | • |
| Warranty | +++ | +++ | +++ | ++ | ++ | +++ | +++ | +++ |

+++ = PRESIDENT'S LIMITED LIFETIME WARRANTY,   ++ = 15 YEAR LIMITED WARRANTY

**To be observed:** Before you start construction work for your outdoor kitchen, measure the modules exactly. If you wish to connect a module at a 45° angle to the built-in grill attachment immediately afterwards, please select the 2-part drawer module. Other modules could collide with the control panel of the built-in grill attachment. Please note that the models BIPRO665 and BIPRO825 cannot be combined at a 45° angle. Place your grill at least 60 cm away from flammable materials. Observe local and national safety regulations as well as the safety instructions in the supplied manual. Gas hose and pressure regulator for built-in grill are NOT included in the scope of delivery.

| | | | Outside dimensions front | | | Cut-out dimensions | | |
|---|---|---|---|---|---|---|---|---|

| Oasis Modules | Item number | Width in cm | Height in cm | Depth in cm |
|---|---|---|---|---|
| 825 Grill base cabinet | IM-UGC-825 | 140,0 | 88,9 | 61,0 |
| 665 Grill base cabinet | IM-UGC-665 | 103,0 | 88,9 | 61,0 |
| 500 Grill base cabinet | IM-UGC-500 | 88,3 | 88,9 | 61,0 |
| 18˝ Drop-in burner base cabinet | IM-UGC18-CN | 61,0 | 88,9 | 61,0 |
| 32˝ Grill base cabinet | IM-UGC32-CN | 88,3 | 88,9 | 61,0 |
| 38˝ Grill base cabinet | IM-UGC38-CN | 103,5 | 88,9 | 61,0 |
| 44˝ Grill base cabinet | IM-UGC44-CN | 118,8 | 88,9 | 61,0 |
| 3 Drawer cabinet | IM-3DC | 61,0 | 88,9 | 61,0 |
| 2 Drawer cabinet | IM-2DC | 61,0 | 88,9 | 61,0 |
| Universal cabinet | IM-UTC | 61,0 | 88,9 | 61,0 |
| Kitchen roll & trash can cabinet | IM-WDC | 61,0 | 88,9 | 61,0 |
| Gas bottle cabinet | IM-UTC | 61,0 | 88,9 | 61,0 |
| 45° Connection | IM-45T | 46,7 | 88,9 | |
| Wall spacer | IM-WSF | 10,2 | 88,9 | 3,8 |
| End panel | IM-CEP | 61,0 | 78,7 | 5,1 |
| Single fridge mid run enclosure kit | IM-FMP-CN | 88,9 | 63,5 | 8,9 |
| Single fridge end of run enclosure kit | IM-FEP-CN | 88,9 | 68,6 | 61,0 |
| Double fridge mid run enclosure kit | IM-FMPD-CN | 94,0 | 89,0 | 8,9 |
| Double fridge end of run enclosure kit | IM-FEPD-CN | 99,0 | 90,0 | 61,0 |

| Built-in components | Item number | Width in cm | Height in cm | Depth in cm | Width in cm | Height in cm | Depth in cm |
|---|---|---|---|---|---|---|---|
| 3 Built-in drawers | BI-1824-3DR | 54,6 | 70,5 | 59,7 | 47,3 | 62,9 | 57,8 |
| 2 Built-in doors, small | BI-3024-2D | 84,8 | 70,5 | 9,2 | 77,5 | 62,9 | 7,6 |
| Built-in door & 3 drawers combination | BI-3624-1D3DR | 100,0 | 70,5 | 59,7 | 92,7 | 62,9 | 57.8 |
| 2 Built-in doors, large | BI-3624-2D | 100,0 | 70,5 | 9,2 | 92,7 | 62,9 | 7,6 |
| Built-in door, small | BI-1824-1D | 54,6 | 70,5 | 9,2 | 47,3 | 62,9 | 7,6 |

Please note that the BIPRO825 and BIPRO665 built-in grills cannot be combined with Oasis™ modules at a 45° angle.
You should always connect one element in the same alignment before setting an angle.

# NAPOLEON

**PREMIUM BBQs**

**Wolf Steel (UK) Ltd**
The Old Grain Store
10-12 Home farm
Meriden Road, Berkswell
CV7 7SL, United Kingdom

Phone: 01676 522788
info@napoleongrills.co.uk
facebook.com/Napoleongrillsuk

**www.napoleon.com**

Authorised Dealer: